



FOREMAN® Athletic Locker - Model: MVP


FRONT VIEW




SIDE VIEW



3D VIEW



TOP VIEW




STANDARD SIZE OPTIONS


STANDARD SIZE OPTIONS				
Height (H1)	59 1/2"		71"	
	1500mm		1800mm	
Cubby Height (H2)	9"		9"	
	229mm		229mm	
Seat Height (H1)	12"		16 1/2"	
	305mm		420mm	
Seating Area Height	38"		44"	
	965mm		1118mm	
OA Width (W1)	18"	24"	18"	24"
	457mm	610mm	457mm	610mm
OA Depth (D1)	15"	18"	18"	24"
	381mm	457mm	457mm	610mm

FOREMAN[®] Athletic Locker - Model: MVP


Model: MVP #A5HHXX - NCO
Unit features an Upper Open
Cubby




Model: MVP #A5HHXX - NSO
Unit features an Upper Safe
and Small Cubby




Model: MVP #A5HHXX - NCC
Unit features an Upper Open
Cubby




Model: MVP #A5HHXX - NSC
Unit features an Upper Safe
and Small Cubby



Model: MVP #A5HHXX - NCL
Unit features an Upper Open
Cubby



Model: MVP #A5HHXX - NSL
Unit features an Upper Safe
and Small Cubby



PROPRIETARY AND CONFIDENTIAL	DESCRIPTION	NAME	DATE
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FOREMAN PRODUCTS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FOREMAN PRODUCTS LLC IS PROHIBITED	Athletic Locker - Model: MVP	DRAWN BY	YK 04.06.24
	--	MRG APPR.	SL
	SCALE: --	PAGE 1	

Our athletic lockers feature durable and versatile structural elements to ensure long-lasting use. Each model offering convenient upper and lower storage available in multiple design variations to meet the needs of every athlete.

DESIGN VARIATIONS

Upper Compartment • Split Compartment with (1) Open Cubby and (1) Locker • Full Size Cubby • Full Size Locker with Lift-Up Door

Lower Compartment • Full Size Locker with Lift-Up Door • Open • Full Size Cubby

*All models may be customized to match individual design specifications.

STANDARD CONSTRUCTION ELEMENTS

*measurements expressed in (inches or ")

Dimensions: Width: 18", 24" | Depth: 18" | Height: 54", 72"

Door Opening: 180° with 6063 T6 Aluminum Anodized Profile Integrated Hinges

Body Material: High Pressure Laminate ; Aluminum Framework ; Stainless Steel Hardware

Framework Details: Extruded 6063 T6 Aluminum Anodized Frame with Integrated Hinges and Stainless Steel Bolts

Material Thickness: Top, Bottom, Shelves, Door, Bench: 3/8" ; Back, Sides: 1/8"

FEATURES

- **Water Resistant & Non-Corroding-** Built to withstand water exposure, making them ideal for humid environments such as aquatic centers, swimming pools, and showers.
- **Indoor / Outdoor Use-** Built to withstand heavy impact, scratches, graffiti, and chemicals. Optional UV protected panels are available for outdoor use.
- **Ventilation-** 360° 3mm gap around doors for increased ventilation.
- **Hooks-** (2) J Hooks and (1) Clothes Bar
- **High-End Customization Options-** Optional features include tempered glass and side-mounted aluminum channels for hard-wired RFID locks and conveniently placed USB chargers and/or LED lighting.
- **Stock Colors** - Choose from a curated list of our most popular color options by leading phenolic suppliers.
*Choosing from our stock colors may help expedite lead times.
- **Extensive Lock Options-** We provide a wide selection of lock types and can integrate additional lock options to meet specific requirements.
- **Number Plates-** Adhesive mounted 3M brushed aluminum plates with black etched reveal.
- **Ships Assembled-** Athletic Lockers arrive arrive pre-assembled for quick, hassle-free installation, ensuring consistent quality, and structural integrity.
- **Filler Panels-** Filler panels close gaps between lockers and walls for a seamless, professional quality finish.
- **Warranty-** Our products come with an industry-leading 20-year warranty for indoor use and 10-year warranty for outdoor use.

COMMON APPLICATIONS

• Recreation and Fitness Centers • Aquatic Parks • Educational Institutions • Athletic Facilities • Amusement Parks • Corporate Offices and Executive Workspaces • Government Facilities • Military Bases • Outdoor Installations